

Pacing Guides create a realistic time frame for instruction and assessment. They establish paced student learning expectations and provide a starting point for the implementation of the Common Core State Standards.

These are DRAFT guides for you to use for planning and instruction. Please keep track of pacing, “I can statements”, what works, and what doesn’t. During the school year, there will be multiple opportunities to get your feedback through steering committee meetings, electronic surveys, online threaded discussions, and feedback forms. **We want your feedback!**

The following tips may be helpful as you begin using the Pacing Guide:

- Introduce 9-week content skills according to the Pacing Guide, incorporating yearlong concepts.
- Once a skill is mastered, continue to practice it.
- Continue to reinforce skills and concepts throughout the year until mastery is achieved.
- Skills can be introduced earlier than listed, but no later, and can be assessed at any point after introduction.
- Compare your current pace to the Pacing Guide and adjust as needed.
- Become familiar with sequencing at previous and subsequent grade levels.
- The Common Core State Standards for your grade are provided at the back of this packet.
- The Pacing Guides and a link to Common Core resources that include vocabulary, examples, and suggested texts can be found on the Lansing School District homepage www.lansingschools.net under Links.



Acknowledgements

Yvonne Caamal Canul
Superintendent

Diana Rouse
Assistant Superintendent for Instruction

Mark Coscarella
Associate Superintendent for Learning

Worsie Gregory
Director of High Schools

Mara Lud
Director of Pre-K to 8 & Academies

**A special thank you to the educators
on the writing and review teams.**

Questions? Comments? Please contact us.

Betty Underwood
betty.underwood@lansingschools.net

Lead for Grades K-3

Teri Bernero
teri.bernero@lansingschools.net

Lead for Grades 4-6

Ben Botwinski
ben.botwinski@lansingschools.net

Lead for Grades 7-8 and High School

ALGEBRA I (First Nine Weeks)			MATHEMATICS			
Domain	Cluster	Statement	Domain	Cluster	Statement	
The Real Number System (RN)	Extend the properties of exponents to rational exponents.	NA	Seeing Structure in Expressions (SSE)	Interpret the structure of expressions.	A.SSE.1a <ul style="list-style-type: none"> <i>I can identify separate terms in an expression.</i> <i>I can identify the factors in an expression.</i> <i>I can identify the coefficients in an expression.</i> A.SSE.1b <ul style="list-style-type: none"> <i>I can split up a complicated problem into smaller expressions.</i> <i>I can combine smaller parts into a more complicated expression.</i> 	
	Use properties of rational and irrational numbers.	N.RN.3 <ul style="list-style-type: none"> <i>I can add or multiply any rational numbers and get a rational answer.</i> <i>I can show that adding any rational and irrational number will be irrational.</i> <i>I can show that multiplying any rational and irrational number will be irrational.</i> 		Write expressions in equivalent forms to solve problems.	NA	
The Complex Number System (CN)	Perform operations with complex numbers.	NA	Arithmetic with Polynomials and Rational Expressions (APR)	Perform arithmetic operations on polynomials.	NA	
				Understand the relationship between zeros and factors of polynomial.	NA	
	Use complex numbers in polynomial identities and equation.	NA		Use polynomial identities to solve problems.	NA	
Quantities (Q)	Reason quantitatively and use units to solve problems.	N.Q.1 <ul style="list-style-type: none"> <i>I can interpret and use the correct units when solving a problem.</i> <i>I can interpret and use a correct scale when graphing.</i> <i>I can interpret and use a correct scale when displaying data.</i> N.Q.2 <ul style="list-style-type: none"> <i>I can use the correct quantities when modeling a problem.</i> N.Q.3 <ul style="list-style-type: none"> <i>I can determine an appropriate level of accuracy to assign to a quantity.</i> 	Algebra	Creating Equations (CED)	Create equations that describe numbers or relationships.	A.CED.1 <ul style="list-style-type: none"> <i>I can create linear equations in one variable to solve problems.</i> <i>I can create linear inequalities in one variable to solve problems.</i> A.CED.2 <ul style="list-style-type: none"> <i>I can create equations in two or more variables to solve problems.</i> <i>I can graph equations on coordinate axes with correct labels and scales.</i>
					Understand solving equations as a process of reasoning and explain the reasoning.	A.REI.1 <ul style="list-style-type: none"> <i>I can demonstrate the correct steps used to solve a simple problem.</i> <i>I can demonstrate why the steps taken to solve a problem are correct.</i>
					Solve equations and inequalities in one variable.	NA
					Solve systems of equations.	NA
				Reasoning with Equations and Inequalities (REI)	Represent and solve equations and inequalities graphically.	A.REI.10 <ul style="list-style-type: none"> <i>I can demonstrate that a graph of any equation in two variables is the set of all of its solutions.</i>

ALGEBRA I (First Nine Weeks)			MATHEMATICS						
Domain	Cluster	Statement	Domain	Cluster	Statement				
Functions	Interpreting Functions (IF)	<p>F.IF.1</p> <ul style="list-style-type: none"> <i>I can demonstrate that a function must have exactly one y-value for every x-value.</i> <i>I can show that x-values are the domain and the y-values are the range.</i> <i>I can show that the x-values are the input and the y-values are the output.</i> <p>F.IF.2</p> <ul style="list-style-type: none"> <i>I can show that y is the same as f(x).</i> <i>I can evaluate a function using different inputs (x-values).</i> <i>I can interpret statements that use function notation.</i> 	Statistics & Probability	Interpreting Categorical and Quantitative Data (ID)	Summarize, represent, and interpret data on a single count or measurement variable.				
		<p>F.IF.4</p> <ul style="list-style-type: none"> <i>I can interpret key features of graphs from their tables.</i> <i>I can sketch a graph from a table that shows its key features.</i> <i>I can sketch a graph from a verbal description of the relationship of the points.</i> <p>F.IF.5</p> <ul style="list-style-type: none"> <i>I can determine an appropriate domain of a function based on the relationship it describes.</i> <p>F.IF.6</p> <ul style="list-style-type: none"> <i>I can interpret and calculate the average rate of change of a function from a table.</i> <i>I can interpret and calculate the average rate of change of a function from a graph.</i> <i>I can estimate the rate of change from a graph.</i> 							
		<p>F.IF.7a</p> <ul style="list-style-type: none"> <i>I can graph linear functions showing key features by hand.</i> <i>I can graph linear functions showing key features using technology.</i> <p>F.IF.9</p> <ul style="list-style-type: none"> <i>I can compare two functions that are represented in different ways and identify key features.</i> 							
	Building Functions (BF)	<p>F.BF.1</p> <ul style="list-style-type: none"> <i>I can determine an explicit expression from a context.</i> <i>I can determine a recursive process from a context.</i> <i>I can determine the steps needed to solve a problem from a context.</i> 							
		<p>F.BF.3</p> <ul style="list-style-type: none"> <i>I can determine how changes to an original function will change the graph of the functions.</i> <i>I can identify what factor effects the shape of the graph of a function.</i> <i>I can use technology to show how changes to an original function change the shape of a graph.</i> 							
	Linear, Quadratic, and Exponential Models (LE)	<p>F.LE.1a</p> <ul style="list-style-type: none"> <i>I can prove that linear functions grow by adding or subtracting a constant rate of change.</i> <p>F.LE.1b</p> <ul style="list-style-type: none"> <i>I can recognize when a quantity changes by a constant rate of change.</i> <p>F.LE.2</p> <ul style="list-style-type: none"> <i>I can write a linear function from a graph.</i> <i>I can write a linear function from a description.</i> <i>I can write a linear function from two points.</i> 							
		<p>F.LE.5</p> <ul style="list-style-type: none"> <i>I can determine a linear relationship in a real life context.</i> 							
									NA

ALGEBRA I (Second Nine Weeks)			MATHEMATICS		
Domain	Cluster	Statement	Domain	Cluster	Statement
The Real Number System (RN)	Extend the properties of exponents to rational exponents.	N.RN.1 <ul style="list-style-type: none"> <i>I can convert rational exponents into radical notation.</i> <i>I can use the rules of exponents even when the exponents are rational.</i> N.RN.2 <ul style="list-style-type: none"> <i>I can convert rational exponents into radical notation.</i> <i>I can use the rules of exponents even when the exponents are rational.</i> 	Seeing Structure in Expressions (SSE)	Interpret the structure of expressions.	A.SSE.1a <ul style="list-style-type: none"> <i>I can identify separate terms in an expression.</i> <i>I can identify the factors in an expression.</i> <i>I can identify the coefficients in an expression.</i> A.SSE.1b <ul style="list-style-type: none"> <i>I can split up a complicated problem into smaller expressions.</i> <i>I can combine smaller parts into a more complicated expression.</i> A.SSE.2 <ul style="list-style-type: none"> <i>I can interpret and correctly rewrite an expression based on its structure.</i> <i>I can rewrite a complicated expression into smaller parts to simplify it in easier ways.</i>
	Use properties of rational and irrational numbers.	NA			Write expressions in equivalent forms to solve problems.
The Complex Number System (CN)	Perform operations with complex numbers.	NA	Arithmetic with Polynomials and Rational Expressions (APR)	Perform arithmetic operations on polynomials.	NA
	Use complex numbers in polynomial identities and equation.	NA		Understand the relationship between zeros and factors of polynomial.	NA
Number & Quantity	Reason quantitatively and use units to solve problems.	N.Q.2 <ul style="list-style-type: none"> <i>I can use the correct quantities when modeling a problem.</i> N.Q.3 <ul style="list-style-type: none"> <i>I can determine an appropriate level of accuracy to assign to a quantity.</i> 	Creating Equations (CED)	Use polynomial identities to solve problems.	NA
				Create equations that describe numbers or relationships.	A.CED.1 <ul style="list-style-type: none"> <i>I can create rational and exponential function to solve problems.</i> A.CED.4 <ul style="list-style-type: none"> <i>I can rearrange a formula to correctly solve for a variable.</i>
				Understand solving equations as a process of reasoning and explain the reasoning.	A.REI.1 <ul style="list-style-type: none"> <i>I can demonstrate the correct steps used to solve a simple problem.</i> <i>I can demonstrate why the steps taken to solve a problem are correct.</i>
			Reasoning with Equations and Inequalities (REI)	Solve equations and inequalities in one variable.	A.REI.3 <ul style="list-style-type: none"> <i>I can solve linear equations in one variable including equations with coefficients that are letters.</i> <i>I can solve inequalities in one variable.</i>
				Solve systems of equations.	A.REI.5 <ul style="list-style-type: none"> <i>I can add two equations in two variables to solve a system.</i> <i>I can multiply one or both equations in two variables in order to solve a system.</i> A.REI.6 <ul style="list-style-type: none"> <i>I can solve systems of two equations in two variables using a graph.</i> A.REI.7 <ul style="list-style-type: none"> <i>I can solve systems of two equations, one linear and one quadratic, in two variables using a graph.</i> <i>I can solve a simple system of two equations, one linear and one quadratic, in two variables algebraically.</i>
				Represent and solve equations and inequalities graphically.	A.REI.10 <ul style="list-style-type: none"> <i>I can demonstrate that a graph of any equation in two variables is the set of all of its solutions.</i> A.REI.11 <ul style="list-style-type: none"> <i>I can explain why the x-coordinates where two graphs meet are the result of setting the two equations equal to each other.</i> <i>I can make tables of two equations to approximate the intersection points.</i> <i>I can make tables of two equations to approximate the intersection points.</i> A.REI.12 <ul style="list-style-type: none"> <i>I can graph a linear inequality in two variables as a half-plane of solution points.</i> <i>I can graph two linear inequalities in two variables as two half-planes that intersect where all points are the solutions for both inequalities.</i>

ALGEBRA I (Second Nine Weeks)			MATHEMATICS		
Domain	Cluster	Statement	Domain	Cluster	Statement
Functions	Understand the concept of a function and use function notation.	F.IF.3 <ul style="list-style-type: none"> <i>I can identify sequences as functions.</i> <i>I can recognize sequences that are recursive.</i> 	Statistics & Probability	Interpreting Categorical and Quantitative Data (ID)	Summarize, represent, and interpret data on a single count or measurement variable.
	Interpret functions that arise in applications in terms of the context.	F.IF.4 <ul style="list-style-type: none"> <i>I can interpret key features of graphs from their tables.</i> <i>I can sketch a graph from a table that shows its key features.</i> <i>I can sketch a graph from a verbal description of the relationship of the points.</i> F.IF.5 <ul style="list-style-type: none"> <i>I can determine an appropriate domain of a function based on the relationship it describes.</i> F.IF.6 <ul style="list-style-type: none"> <i>I can interpret and calculate the average rate of change of a function from a table.</i> <i>I can interpret and calculate the average rate of change of a function from a graph.</i> <i>I can estimate the rate of change from a graph.</i> 			
	Analyze functions using different representations.	F.IF.7b <ul style="list-style-type: none"> <i>I can graph a square root function.</i> <i>I can graph a piecewise function.</i> <i>I can graph an absolute value function.</i> F.IF.8b <ul style="list-style-type: none"> <i>I can use the properties of exponents in exponential functions to determine growth or decay.</i> F.IF.9 <ul style="list-style-type: none"> <i>I can compare two functions that are represented in different ways and identify key features.</i> 			
	Build a function that models a relationship between two quantities.	F.BF.2 <ul style="list-style-type: none"> <i>I can write arithmetic sequences recursively to model situations.</i> <i>I can write geometric sequences explicitly to model situations.</i> <i>I can show how explicit formulas can be written as recursive formulas and vice versa.</i> 			
	Build new functions from existing functions.	NA			
	Linear, Quadratic, and Exponential Models (LE)	Construct and compare linear and exponential models and solve problems.			
Interpret expressions for functions in terms of the situation they model.	F.LE.5 <ul style="list-style-type: none"> <i>I can determine an exponential function in a real life context.</i> 				

ALGEBRA I (Third Nine Weeks)			MATHEMATICS			
Domain	Cluster	Statement	Domain	Cluster	Statement	
The Real Number System (RN)	Extend the properties of exponents to rational exponents.	NA	Seeing Structure in Expressions (SSE)	Interpret the structure of expressions.	A.SSE.1b <ul style="list-style-type: none"> <i>I can split up a complicated problem into smaller expressions.</i> <i>I can combine smaller parts into a more complicated expression.</i> A.SSE.2 <ul style="list-style-type: none"> <i>I can interpret and correctly rewrite an expression based on its structure.</i> <i>I can rewrite a complicated expression into smaller parts to simplify it in easier ways.</i> 	
	Use properties of rational and irrational numbers.	NA		Write expressions in equivalent forms to solve problems.	A.SSE.3a <ul style="list-style-type: none"> <i>I can factor a quadratic to find its zeros.</i> A.SSE.3b <ul style="list-style-type: none"> <i>I can complete the square in a quadratic to find the maximum value of the function.</i> <i>I can complete the square in a quadratic to find the minimum value of the function.</i> 	
The Complex Number System (CN)	Perform operations with complex numbers.	N.CN.1 <ul style="list-style-type: none"> <i>I can identify a complex number as a number of the form $a + bi$.</i> <i>I can define i as a complex number such that $i^2 = -1$.</i> 	Arithmetic with Polynomials and Rational Expressions (APR)	Perform arithmetic operations on polynomials.	A.APR.1 <ul style="list-style-type: none"> <i>I can use the rules for integers to add polynomials.</i> <i>I can use the rules for integers to subtract polynomials.</i> <i>I can use the rules for integers to multiply polynomials.</i> 	
	Use complex numbers in polynomial identities and equation.	N.CN.7 <ul style="list-style-type: none"> <i>I can solve quadratic equations with real coefficients that have complex number solutions.</i> 		Understand the relationship between zeros and factors of polynomial.	NA	
Quantities (Q)	Reason quantitatively and use units to solve problems.	NA	Algebra	Creating Equations (CED)	Use polynomial identities to solve problems.	NA
					A.CED.1 <ul style="list-style-type: none"> <i>I can create quadratic equations in one variable to solve problems.</i> <i>I can create rational and exponential function to solve problems.</i> <i>I can create quadratic inequalities in one variable to solve problems.</i> A.CED.3 <ul style="list-style-type: none"> <i>I can represent reasonable limits by equations and inequalities based on the context of a problem.</i> <i>I can interpret solutions as reasonable or not possible based on the context of a problem.</i> 	
				Reasoning with Equations and Inequalities (REI)	Understand solving equations as a process of reasoning and explain the reasoning.	A.REI.1 <ul style="list-style-type: none"> <i>I can demonstrate the correct steps used to solve a simple problem.</i> <i>I can demonstrate why the steps taken to solve a problem are correct.</i>
					Solve equations and inequalities in one variable.	A.REI.4a <ul style="list-style-type: none"> <i>I can complete the square to transform any quadratic in x into a squared binomial.</i> <i>I can show how to derive the quadratic formula from a squared binomial.</i> A.REI.4b <ul style="list-style-type: none"> <i>I can solve a quadratic by taking square roots.</i> <i>I can solve a quadratic by completing the square.</i> <i>I can solve a quadratic by using the quadratic formula.</i> <i>I can solve a quadratic by factoring.</i> <i>I can see when the quadratic formula will give a complex number solution and write it as $a + bi$.</i>
Solve systems of equations.	A.REI.6 <ul style="list-style-type: none"> <i>I can solve systems of two equations in two variables using a graph.</i> A.REI.7 <ul style="list-style-type: none"> <i>I can solve systems of two equations, one linear and one quadratic, in two variables using a graph.</i> <i>I can solve a simple system of two equations, one linear and one quadratic, in two variables algebraically.</i> 					
Represent and solve equations and inequalities graphically.	A.REI.10 <ul style="list-style-type: none"> <i>I can demonstrate that a graph of any equation in two variables is the set of all of its solutions.</i> A.REI.11 <ul style="list-style-type: none"> <i>I can explain why the x-coordinates where two graphs meet are the result of setting the two equations equal to each other.</i> <i>I can make tables of two equations to approximate the intersection points.</i> <i>I can graph two equations to approximate the intersection points.</i> 					

ALGEBRA I (Third Nine Weeks)			MATHEMATICS		
Domain	Cluster	Statement	Domain	Cluster	Statement
Functions	Understand the concept of a function and use function notation.	F.IF.2 <ul style="list-style-type: none"> <i>I can show that y is the same as $f(x)$.</i> <i>I can evaluate a function using different inputs (x-values).</i> <i>I can interpret statements that use function notation.</i> 	Statistics & Probability	Interpreting Categorical and Quantitative Data (ID)	Summarize, represent, and interpret data on a single count or measurement variable.
	Interpret functions that arise in applications in terms of the context.	F.IF.4 <ul style="list-style-type: none"> <i>I can interpret key features of graphs from their tables.</i> <i>I can sketch a graph from a table that shows its key features.</i> <i>I can sketch a graph from a verbal description of the relationship of the points.</i> F.IF.5 <ul style="list-style-type: none"> <i>I can determine an appropriate domain of a function based on the relationship it describes.</i> 			
	Analyze functions using different representations.	F.IF.7a <ul style="list-style-type: none"> <i>I can graph quadratic functions showing key features by hand.</i> <i>I can graph quadratic functions showing key features using technology.</i> F.IF.7b <ul style="list-style-type: none"> <i>I can graph a cube root function.</i> F.IF.7c <ul style="list-style-type: none"> <i>I can graph a polynomial function.</i> <i>I can identify the zeros of a polynomial function using factoring when possible.</i> <i>I can describe the end behaviors of a function.</i> F.IF.8a <ul style="list-style-type: none"> <i>I can factor a quadratic to find zeros.</i> <i>I can complete the square to find zeros.</i> <i>I can show the extreme values of a function.</i> <i>I can identify the symmetry of a graph.</i> F.IF.9 <ul style="list-style-type: none"> <i>I can compare two functions that are represented in different ways and identify key features.</i> 			
	Building Functions (BF)	F.BF.1a <ul style="list-style-type: none"> <i>I can determine an explicit expression from a context.</i> <i>I can determine a recursive process from a context.</i> <i>I can determine the steps needed to solve a problem from a context.</i> F.BF.1b <ul style="list-style-type: none"> <i>I can combine standard functions using arithmetic operations.</i> 			
	Build new functions from existing functions.	F.BF.3 <ul style="list-style-type: none"> <i>I can determine how changes to an original function will change the graph of the functions.</i> <i>I can identify what factor effects the shape of the graph of a function.</i> <i>I can use technology to show how changes to an original function change the shape of a graph.</i> 			
Linear, Quadratic, and Exponential Models (LE)	Construct and compare linear and exponential models and solve problems.	NA			
	Interpret expressions for functions in terms of the situation they model.	F.LE.5 <ul style="list-style-type: none"> <i>I can determine a quadratic relationship in a real life context.</i> 			

ALGEBRA I (Fourth Nine Weeks)			MATHEMATICS		
Domain	Cluster	Statement	Domain	Cluster	Statement
The Real Number System (RN)	Extend the properties of exponents to rational exponents.	NA	Seeing Structure in Expressions (SSE)	Interpret the structure of expressions.	NA
	Use properties of rational and irrational numbers.	NA		Write expressions in equivalent forms to solve problems.	NA
The Complex Number System (CN)	Perform operations with complex numbers.	NA	Arithmetic with Polynomials and Rational Expressions (APR)	Perform arithmetic operations on polynomials.	A.APR.1 <ul style="list-style-type: none"> <i>I can use the rules for integers to add polynomials.</i> <i>I can use the rules for integers to subtract polynomials.</i> <i>I can use the rules for integers to multiply polynomials.</i>
				Understand the relationship between zeros and factors of polynomial.	A.APR.2 <ul style="list-style-type: none"> <i>I can identify the zeros of a polynomial by correctly factoring when possible.</i> <i>I can construct a rough graph from the zeros of the polynomial.</i>
Use complex numbers in polynomial identities and equation.	NA	Use polynomial identities to solve problems.		A.APR.3 <ul style="list-style-type: none"> <i>I can expand a polynomial using the Binomial Theorem. +</i> <i>I can use Pascal's Triangle to find the value of the combinations in each term in the Binomial Theorem. +</i> 	
Quantities (Q)	Reason quantitatively and use units to solve problems.	NA	Creating Equations (CED)	Create equations that describe numbers or relationships.	A.CED.3 <ul style="list-style-type: none"> <i>I can represent reasonable limits by equations and inequalities based on the context of a problem.</i> <i>I can interpret solutions as reasonable or not possible based on the context of a problem.</i>
			Reasoning with Equations and Inequalities (REI)	Understand solving equations as a process of reasoning and explain the reasoning.	A.REI.1 <ul style="list-style-type: none"> <i>I can demonstrate the correct steps used to solve a simple problem.</i> <i>I can demonstrate why the steps taken to solve a problem are correct.</i>
				Solve equations and inequalities in one variable.	NA
				Solve systems of equations.	NA
Represent and solve equations and inequalities graphically.	A.REI.10 <ul style="list-style-type: none"> <i>I can demonstrate that a graph of any equation in two variables is the set of all of its solutions.</i> 				

ALGEBRA I (Fourth Nine Weeks)			MATHEMATICS			
Domain	Cluster	Statement	Domain	Cluster	Statement	
Functions	Interpreting Functions (IF)	Understand the concept of a function and use function notation.	Statistics & Probability	Interpreting Categorical and Quantitative Data (ID)	Summarize, represent, and interpret data on a single count or measurement variable.	
		Interpret functions that arise in applications in terms of the context.				
	Analyze functions using different representations.	<p>F.IF.2</p> <ul style="list-style-type: none"> <i>I can show that y is the same as $f(x)$.</i> <i>I can evaluate a function using different inputs (x-values).</i> <i>I can interpret statements that use function notation.</i> 				
	Building Functions (BF)	Build a function that models a relationship between two quantities.				<p>F.BF.1b</p> <ul style="list-style-type: none"> <i>I can combine standard functions using arithmetic operations.</i>
		Build new functions from existing functions.				
Linear, Quadratic, and Exponential Models (LE)	Construct and compare linear and exponential models and solve problems.					
	Interpret expressions for functions in terms of the situation they model.	<p>S.ID.1</p> <ul style="list-style-type: none"> <i>I can make a dot plot on the real number line.</i> <i>I can construct a histogram on the real number line.</i> <i>I can construct a box plot on a real number line.</i> <p>S.ID.2</p> <ul style="list-style-type: none"> <i>I can compare the central tendencies of two or more sets of data.</i> <i>I can compare the interquartile range of two or more sets of data.</i> <i>I can compare the standard deviation of two or more sets of data.</i> <p>S.ID.3</p> <ul style="list-style-type: none"> <i>I can interpret the differences in the shape (skewness) of different data sets</i> <i>I can interpret the differences in the central tendencies of different data sets</i> <i>I can interpret the differences in the spreads of different data sets.</i> <i>I can interpret how an outlier would effect the shape of a normal curve distribution.</i> <i>I can interpret how an outlier would effect the spread of a data set.</i> 				

Mathematics Standards for High School

The high school standards specify the mathematics that all students should study in order to be college and career ready. Additional mathematics that students should learn in order to take advanced courses such as calculus, advanced statistics, or discrete mathematics is indicated by (+), as in this example:

(+) Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers).

All standards without a (+) symbol should be in the common mathematics curriculum for all college and career ready students. Standards with a (+) symbol may also appear in courses intended for all students.

The high school standards are listed in conceptual categories:

- Number and Quantity
- Algebra
- Functions
- Modeling
- Geometry
- Statistics and Probability

Conceptual categories portray a coherent view of high school mathematics; a student's work with functions, for example, crosses a number of traditional course boundaries, potentially up through and including calculus.

Modeling is best interpreted not as a collection of isolated topics but in relation to other standards. Making mathematical models is a Standard for Mathematical Practice, and specific modeling standards appear throughout the high school standards indicated by a star symbol (*). The star symbol sometimes appears on the heading for a group of standards; in that case, it should be understood to apply to all standards in that group.

Mathematics | High School—Number and Quantity

Numbers and Number Systems. During the years from kindergarten to eighth grade, students must repeatedly extend their conception of number. At first, “number” means “counting number”: 1, 2, 3... Soon after that, 0 is used to represent “none” and the whole numbers are formed by the counting numbers together with zero. The next extension is fractions. At first, fractions are barely numbers and tied strongly to pictorial representations. Yet by the time students understand division of fractions, they have a strong concept of fractions as numbers and have connected them, via their decimal representations, with the base-ten system used to represent the whole numbers. During middle school, fractions are augmented by negative fractions to form the rational numbers. In Grade 8, students extend this system once more, augmenting the rational numbers with the irrational numbers to form the real numbers. In high school, students will be exposed to yet another extension of number, when the real numbers are augmented by the imaginary numbers to form the complex numbers.

With each extension of number, the meanings of addition, subtraction, multiplication, and division are extended. In each new number system—integers, rational numbers, real numbers, and complex numbers—the four operations stay the same in two important ways: They have the commutative, associative, and distributive properties and their new meanings are consistent with their previous meanings.

Extending the properties of whole-number exponents leads to new and productive notation. For example, properties of whole-number exponents suggest that $(5^{1/3})^3$ should be $5^{(1/3)3} = 5^1 = 5$ and that $5^{1/3}$ should be the cube root of 5.

Calculators, spreadsheets, and computer algebra systems can provide ways for students to become better acquainted with these new number systems and their notation. They can be used to generate data for numerical experiments, to help understand the workings of matrix, vector, and complex number algebra, and to experiment with non-integer exponents.

Quantities. In real world problems, the answers are usually not numbers but quantities: numbers with units, which involves measurement. In their work in measurement up through Grade 8, students primarily measure commonly used attributes such as length, area, and volume. In high school, students encounter a wider variety of units in modeling, e.g., acceleration, currency conversions, derived quantities such as person-hours and heating degree days, social science rates such as per-capita income, and rates in everyday life such as points scored per game or batting averages. They also encounter novel situations in which they themselves must conceive the attributes of interest. For example, to find a good measure of overall highway safety, they might propose measures such as fatalities per year, fatalities per year per driver, or fatalities per vehicle-mile traveled. Such a conceptual process is sometimes called quantification. Quantification is important for science, as when surface area suddenly “stands out” as an important variable in evaporation. Quantification is also important for companies, which must conceptualize relevant attributes and create or choose suitable measures for them.

Number and Quantity Overview

The Real Number System

- Extend the properties of exponents to rational exponents
- Use properties of rational and irrational numbers.

Quantities

- Reason quantitatively and use units to solve problems

The Complex Number System

- Perform arithmetic operations with complex numbers
- Represent complex numbers and their operations on the complex plane
- Use complex numbers in polynomial identities and equations

Vector and Matrix Quantities

- Represent and model with vector quantities.
- Perform operations on vectors.
- Perform operations on matrices and use matrices in applications.

Mathematical Practices

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

The Real Number System**N-RN****Extend the properties of exponents to rational exponents.**

1. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. *For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $(5^{1/3})^3$ must equal 5.*
2. Rewrite expressions involving radicals and rational exponents using the properties of exponents.

Use properties of rational and irrational numbers.

3. Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.

Quantities***N-Q****Reason quantitatively and use units to solve problems.**

1. Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.
2. Define appropriate quantities for the purpose of descriptive modeling.
3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.

The Complex Number System**N-CN****Perform arithmetic operations with complex numbers.**

1. Know there is a complex number i such that $i^2 = -1$, and every complex number has the form $a + bi$ with a and b real.
2. Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.
3. (+) Find the conjugate of a complex number; use conjugates to find moduli and quotients of complex numbers.

Represent complex numbers and their operations on the complex plane.

4. (+) Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers), and explain why the rectangular and polar forms of a given complex number represent the same number.
5. (+) Represent addition, subtraction, multiplication, and conjugation of complex numbers geometrically on the complex plane; use properties of this representation for computation. *For example, $(-1 + \sqrt{3}i)^3 = 8$ because $(-1 + \sqrt{3}i)$ has modulus 2 and argument 120° .*
6. (+) Calculate the distance between numbers in the complex plane as the modulus of the difference, and the midpoint of a segment as the average of the numbers at its endpoints.

Use complex numbers in polynomial identities and equations.

7. Solve quadratic equations with real coefficients that have complex solutions.
8. (+) Extend polynomial identities to the complex numbers. *For example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$.*
9. (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials.

Vector and Matrix Quantities**N-VM****Represent and model with vector quantities.**

1. (+) Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g., \mathbf{v} , $|\mathbf{v}|$, $\|\mathbf{v}\|$, v).
2. (+) Find the components of a vector by subtracting the coordinates of an initial point from the coordinates of a terminal point.
3. (+) Solve problems involving velocity and other quantities that can be represented by vectors.

Perform operations on vectors.

4. (+) Add and subtract vectors.
 - a. Add vectors end-to-end, component-wise, and by the parallelogram rule. Understand that the magnitude of a sum of two vectors is typically not the sum of the magnitudes.
 - b. Given two vectors in magnitude and direction form, determine the magnitude and direction of their sum.
 - c. Understand vector subtraction $\mathbf{v} - \mathbf{w}$ as $\mathbf{v} + (-\mathbf{w})$, where $-\mathbf{w}$ is the additive inverse of \mathbf{w} , with the same magnitude as \mathbf{w} and pointing in the opposite direction. Represent vector subtraction graphically by connecting the tips in the appropriate order, and perform vector subtraction component-wise.
5. (+) Multiply a vector by a scalar.
 - a. Represent scalar multiplication graphically by scaling vectors and possibly reversing their direction; perform scalar multiplication component-wise, e.g., as $c(v_x, v_y) = (cv_x, cv_y)$.
 - b. Compute the magnitude of a scalar multiple $c\mathbf{v}$ using $\|c\mathbf{v}\| = |c|v$. Compute the direction of $c\mathbf{v}$ knowing that when $|c|v \neq 0$, the direction of $c\mathbf{v}$ is either along \mathbf{v} (for $c > 0$) or against \mathbf{v} (for $c < 0$).

Perform operations on matrices and use matrices in applications.

6. (+) Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network.
7. (+) Multiply matrices by scalars to produce new matrices, e.g., as when all of the payoffs in a game are doubled.
8. (+) Add, subtract, and multiply matrices of appropriate dimensions.
9. (+) Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties.
10. (+) Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse.
11. (+) Multiply a vector (regarded as a matrix with one column) by a matrix of suitable dimensions to produce another vector. Work with matrices as transformations of vectors.
12. (+) Work with 2×2 matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area.

Mathematics | High School—Algebra

Expressions. An expression is a record of a computation with numbers, symbols that represent numbers, arithmetic operations, exponentiation, and, at more advanced levels, the operation of evaluating a function. Conventions about the use of parentheses and the order of operations assure that each expression is unambiguous. Creating an expression that describes a computation involving a general quantity requires the ability to express the computation in general terms, abstracting from specific instances.

Reading an expression with comprehension involves analysis of its underlying structure. This may suggest a different but equivalent way of writing the expression that exhibits some different aspect of its meaning. For example, $p + 0.05p$ can be interpreted as the addition of a 5% tax to a price p . Rewriting $p + 0.05p$ as $1.05p$ shows that adding a tax is the same as multiplying the price by a constant factor.

Algebraic manipulations are governed by the properties of operations and exponents, and the conventions of algebraic notation. At times, an expression is the result of applying operations to simpler expressions. For example, $p + 0.05p$ is the sum of the simpler expressions p and $0.05p$. Viewing an expression as the result of operation on simpler expressions can sometimes clarify its underlying structure.

A spreadsheet or a computer algebra system (CAS) can be used to experiment with algebraic expressions, perform complicated algebraic manipulations, and understand how algebraic manipulations behave.

Equations and inequalities. An equation is a statement of equality between two expressions, often viewed as a question asking for which values of the variables the expressions on either side are in fact equal. These values are the solutions to the equation. An identity, in contrast, is true for all values of the variables; identities are often developed by rewriting an expression in an equivalent form.

The solutions of an equation in one variable form a set of numbers; the solutions of an equation in two variables form a set of ordered pairs of numbers, which can be plotted in the coordinate plane. Two or more equations and/or inequalities form a system. A solution for such a system must satisfy every equation and inequality in the system.

An equation can often be solved by successively deducing from it one or more simpler equations. For example, one can add the same constant to both sides without changing the solutions, but squaring both sides might lead to extraneous solutions. Strategic competence in solving includes looking ahead for productive manipulations and anticipating the nature and number of solutions.

Some equations have no solutions in a given number system, but have a solution in a larger system. For example, the solution of $x + 1 = 0$ is an integer, not a whole number; the solution of $2x + 1 = 0$ is a rational number, not an integer; the solutions of $x^2 - 2 = 0$ are real numbers, not rational numbers; and the solutions of $x^2 + 2 = 0$ are complex numbers, not real numbers.

The same solution techniques used to solve equations can be used to rearrange formulas. For example, the formula for the area of a trapezoid, $A = ((b_1 + b_2)/2)h$, can be solved for h using the same deductive process.

Inequalities can be solved by reasoning about the properties of inequality. Many, but not all, of the properties of equality continue to hold for inequalities and can be useful in solving them.

Connections to Functions and Modeling. Expressions can define functions, and equivalent expressions define the same function. Asking when two functions have the same value for the same input leads to an equation; graphing the two functions allows for finding approximate solutions of the equation. Converting a verbal description to an equation, inequality, or system of these is an essential skill in modeling.

Algebra Overview

Seeing Structure in Expressions

- Interpret the structure of expressions
- Write expressions in equivalent forms to solve problems

Arithmetic with Polynomials and Rational Expressions

- Perform arithmetic operations on polynomials
- Understand the relationship between zeros and factors of polynomials
- Use polynomial identities to solve problems
- Rewrite rational expressions

Creating Equations

- Create equations that describe numbers or relationships

Reasoning with Equations and Inequalities

- Understand solving equations as a process of reasoning and explain the reasoning
- Solve equations and inequalities in one variable
- Solve systems of equations
- Represent and solve equations and inequalities graphically

Mathematical Practices

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

Seeing Structure in Expressions**A-SSE****Interpret the structure of expressions**

1. Interpret expressions that represent a quantity in terms of its context.*
 - a. Interpret parts of an expression, such as terms, factors, and coefficients.
 - b. Interpret complicated expressions by viewing one or more of their parts as a single entity. *For example, interpret $P(1+r)^n$ as the product of P and a factor not depending on P .*
2. Use the structure of an expression to identify ways to rewrite it. *For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.*

Write expressions in equivalent forms to solve problems

3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.*
 - a. Factor a quadratic expression to reveal the zeros of the function it defines.
 - b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.
 - c. Use the properties of exponents to transform expressions for exponential functions. *For example the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.*
4. Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. *For example, calculate mortgage payments.**

Arithmetic with Polynomials and Rational Expressions**A-APR****Perform arithmetic operations on polynomials**

1. Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.

Understand the relationship between zeros and factors of polynomials

2. Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number a , the remainder on division by $x - a$ is $p(a)$, so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$.
3. Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.

Use polynomial identities to solve problems

4. Prove polynomial identities and use them to describe numerical relationships. *For example, the polynomial identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.*
5. (+) Know and apply the Binomial Theorem for the expansion of $(x + y)^n$ in powers of x and y for a positive integer n , where x and y are any numbers, with coefficients determined for example by Pascal's Triangle.¹

¹The Binomial Theorem can be proved by mathematical induction or by a combinatorial argument.

Rewrite rational expressions

- Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$, where $a(x)$, $b(x)$, $q(x)$, and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$, using inspection, long division, or, for the more complicated examples, a computer algebra system.
- (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions.

Creating Equations***A-CED****Create equations that describe numbers or relationships**

- Create equations and inequalities in one variable and use them to solve problems. *Include equations arising from linear and quadratic functions, and simple rational and exponential functions.*
- Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.
- Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. *For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.*
- Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. *For example, rearrange Ohm's law $V = IR$ to highlight resistance R .*

Reasoning with Equations and Inequalities**A-REI****Understand solving equations as a process of reasoning and explain the reasoning**

- Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.
- Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.

Solve equations and inequalities in one variable

- Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.
- Solve quadratic equations in one variable.
 - Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.
 - Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b .

Solve systems of equations

- Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.

6. Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.
7. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. *For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.*
8. (+) Represent a system of linear equations as a single matrix equation in a vector variable.
9. (+) Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension 3×3 or greater).

Represent and solve equations and inequalities graphically

10. Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).
11. Explain why the x -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.*
12. Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.

Mathematics | High School—Functions

Functions describe situations where one quantity determines another. For example, the return on \$10,000 invested at an annualized percentage rate of 4.25% is a function of the length of time the money is invested. Because we continually make theories about dependencies between quantities in nature and society, functions are important tools in the construction of mathematical models.

In school mathematics, functions usually have numerical inputs and outputs and are often defined by an algebraic expression. For example, the time in hours it takes for a car to drive 100 miles is a function of the car's speed in miles per hour, v ; the rule $T(v) = 100/v$ expresses this relationship algebraically and defines a function whose name is T .

The set of inputs to a function is called its domain. We often infer the domain to be all inputs for which the expression defining a function has a value, or for which the function makes sense in a given context.

A function can be described in various ways, such as by a graph (e.g., the trace of a seismograph); by a verbal rule, as in, "I'll give you a state, you give me the capital city;" by an algebraic expression like $f(x) = a + bx$; or by a recursive rule. The graph of a function is often a useful way of visualizing the relationship of the function models, and manipulating a mathematical expression for a function can throw light on the function's properties.

Functions presented as expressions can model many important phenomena. Two important families of functions characterized by laws of growth are linear functions, which grow at a constant rate, and exponential functions, which grow at a constant percent rate. Linear functions with a constant term of zero describe proportional relationships.

A graphing utility or a computer algebra system can be used to experiment with properties of these functions and their graphs and to build computational models of functions, including recursively defined functions.

Connections to Expressions, Equations, Modeling, and Coordinates.

Determining an output value for a particular input involves evaluating an expression; finding inputs that yield a given output involves solving an equation. Questions about when two functions have the same value for the same input lead to equations, whose solutions can be visualized from the intersection of their graphs. Because functions describe relationships between quantities, they are frequently used in modeling. Sometimes functions are defined by a recursive process, which can be displayed effectively using a spreadsheet or other technology.

Functions Overview

Interpreting Functions

- Understand the concept of a function and use function notation
- Interpret functions that arise in applications in terms of the context
- Analyze functions using different representations

Building Functions

- Build a function that models a relationship between two quantities
- Build new functions from existing functions

Linear, Quadratic, and Exponential Models

- Construct and compare linear, quadratic, and exponential models and solve problems
- Interpret expressions for functions in terms of the situation they model

Trigonometric Functions

- Extend the domain of trigonometric functions using the unit circle
- Model periodic phenomena with trigonometric functions
- Prove and apply trigonometric identities

Mathematical Practices

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

Interpreting Functions**F-IF****Understand the concept of a function and use function notation**

1. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If f is a function and x is an element of its domain, then $f(x)$ denotes the output of f corresponding to the input x . The graph of f is the graph of the equation $y = f(x)$.
2. Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.
3. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. *For example, the Fibonacci sequence is defined recursively by $f(0) = f(1) = 1$, $f(n+1) = f(n) + f(n-1)$ for $n \geq 1$.*

Interpret functions that arise in applications in terms of the context

4. For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. *Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.**
5. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. *For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.**
6. Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.*

Analyze functions using different representations

7. Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.*
 - a. Graph linear and quadratic functions and show intercepts, maxima, and minima.
 - b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.
 - c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.
 - d. (+) Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior.
 - e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.
8. Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.
 - a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.
 - b. Use the properties of exponents to interpret expressions for exponential functions. *For example, identify percent rate of change in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/10}$, and classify them as representing exponential growth or decay.*

9. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). *For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.*

Building Functions**F-BF****Build a function that models a relationship between two quantities**

1. Write a function that describes a relationship between two quantities.*
 - a. Determine an explicit expression, a recursive process, or steps for calculation from a context.
 - b. Combine standard function types using arithmetic operations. *For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.*
 - c. (+) Compose functions. *For example, if $T(y)$ is the temperature in the atmosphere as a function of height, and $h(t)$ is the height of a weather balloon as a function of time, then $T(h(t))$ is the temperature at the location of the weather balloon as a function of time.*
2. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.*

Build new functions from existing functions

3. Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. *Include recognizing even and odd functions from their graphs and algebraic expressions for them.*
4. Find inverse functions.
 - a. Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. *For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$.*
 - b. (+) Verify by composition that one function is the inverse of another.
 - c. (+) Read values of an inverse function from a graph or a table, given that the function has an inverse.
 - d. (+) Produce an invertible function from a non-invertible function by restricting the domain.
5. (+) Understand the inverse relationship between exponents and logarithms and use this relationship to solve problems involving logarithms and exponents.

Linear, Quadratic, and Exponential Models***F-LE****Construct and compare linear, quadratic, and exponential models and solve problems**

1. Distinguish between situations that can be modeled with linear functions and with exponential functions.
 - a. Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals.
 - b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.
 - c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.

- Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).
- Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.
- For exponential models, express as a logarithm the solution to $ab^{ct} = d$ where a , c , and d are numbers and the base b is 2, 10, or e ; evaluate the logarithm using technology.

Interpret expressions for functions in terms of the situation they model

- Interpret the parameters in a linear or exponential function in terms of a context.

Trigonometric Functions

F-TF

Extend the domain of trigonometric functions using the unit circle

- Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.
- Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.
- (+) Use special triangles to determine geometrically the values of sine, cosine, tangent for $\pi/3$, $\pi/4$ and $\pi/6$, and use the unit circle to express the values of sine, cosine, and tangent for $\pi-x$, $\pi+x$, and $2\pi-x$ in terms of their values for x , where x is any real number.
- (+) Use the unit circle to explain symmetry (odd and even) and periodicity of trigonometric functions.

Model periodic phenomena with trigonometric functions

- Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.*
- (+) Understand that restricting a trigonometric function to a domain on which it is always increasing or always decreasing allows its inverse to be constructed.
- (+) Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context.*

Prove and apply trigonometric identities

- Prove the Pythagorean identity $\sin^2(\theta) + \cos^2(\theta) = 1$ and use it to find $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ given $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ and the quadrant of the angle.
- (+) Prove the addition and subtraction formulas for sine, cosine, and tangent and use them to solve problems.

Mathematics | High School—Modeling

Modeling links classroom mathematics and statistics to everyday life, work, and decision-making. Modeling is the process of choosing and using appropriate mathematics and statistics to analyze empirical situations, to understand them better, and to improve decisions. Quantities and their relationships in physical, economic, public policy, social, and everyday situations can be modeled using mathematical and statistical methods. When making mathematical models, technology is valuable for varying assumptions, exploring consequences, and comparing predictions with data.

A model can be very simple, such as writing total cost as a product of unit price and number bought, or using a geometric shape to describe a physical object like a coin. Even such simple models involve making choices. It is up to us whether to model a coin as a three-dimensional cylinder, or whether a two-dimensional disk works well enough for our purposes. Other situations—modeling a delivery route, a production schedule, or a comparison of loan amortizations—need more elaborate models that use other tools from the mathematical sciences. Real-world situations are not organized and labeled for analysis; formulating tractable models, representing such models, and analyzing them is appropriately a creative process. Like every such process, this depends on acquired expertise as well as creativity.


Some examples of such situations might include:

- Estimating how much water and food is needed for emergency relief in a devastated city of 3 million people, and how it might be distributed.
- Planning a table tennis tournament for 7 players at a club with 4 tables, where each player plays against each other player.
- Designing the layout of the stalls in a school fair so as to raise as much money as possible.
- Analyzing stopping distance for a car.
- Modeling savings account balance, bacterial colony growth, or investment growth.
- Engaging in critical path analysis, e.g., applied to turnaround of an aircraft at an airport.
- Analyzing risk in situations such as extreme sports, pandemics, and terrorism.
- Relating population statistics to individual predictions.

In situations like these, the models devised depend on a number of factors: How precise an answer do we want or need? What aspects of the situation do we most need to understand, control, or optimize? What resources of time and tools do we have? The range of models that we can create and analyze is also constrained by the limitations of our mathematical, statistical, and technical skills, and our ability to recognize significant variables and relationships among them. Diagrams of various kinds, spreadsheets and other technology, and algebra are powerful tools for understanding and solving problems drawn from different types of real-world situations.

One of the insights provided by mathematical modeling is that essentially the same mathematical or statistical structure can sometimes model seemingly different situations. Models can also shed light on the mathematical structures themselves, for example, as when a model of bacterial growth makes more vivid the explosive growth of the exponential function.

The basic modeling cycle is summarized in the diagram. It involves (1) identifying variables in the situation and selecting those that represent essential features, (2) formulating a model by creating and selecting geometric, graphical, tabular, algebraic, or statistical representations that describe relationships between the variables, (3) analyzing and performing operations on these relationships to draw conclusions, (4) interpreting the results of the mathematics in terms of the original situation, (5) validating the conclusions by comparing them with the situation, and then either improving the model or, if it



is acceptable, (6) reporting on the conclusions and the reasoning behind them. Choices, assumptions, and approximations are present throughout this cycle.

In descriptive modeling, a model simply describes the phenomena or summarizes them in a compact form. Graphs of observations are a familiar descriptive model—for example, graphs of global temperature and atmospheric CO_2 over time.

Analytic modeling seeks to explain data on the basis of deeper theoretical ideas, albeit with parameters that are empirically based; for example, exponential growth of bacterial colonies (until cut-off mechanisms such as pollution or starvation intervene) follows from a constant reproduction rate. Functions are an important tool for analyzing such problems.

Graphing utilities, spreadsheets, computer algebra systems, and dynamic geometry software are powerful tools that can be used to model purely mathematical phenomena (e.g., the behavior of polynomials) as well as physical phenomena.

Modeling Standards *Modeling is best interpreted not as a collection of isolated topics but rather in relation to other standards. Making mathematical models is a Standard for Mathematical Practice, and specific modeling standards appear throughout the high school standards indicated by a star symbol (*).*

Mathematics | High School—Geometry

An understanding of the attributes and relationships of geometric objects can be applied in diverse contexts—interpreting a schematic drawing, estimating the amount of wood needed to frame a sloping roof, rendering computer graphics, or designing a sewing pattern for the most efficient use of material.

Although there are many types of geometry, school mathematics is devoted primarily to plane Euclidean geometry, studied both synthetically (without coordinates) and analytically (with coordinates). Euclidean geometry is characterized most importantly by the Parallel Postulate, that through a point not on a given line there is exactly one parallel line. (Spherical geometry, in contrast, has no parallel lines.)

During high school, students begin to formalize their geometry experiences from elementary and middle school, using more precise definitions and developing careful proofs. Later in college some students develop Euclidean and other geometries carefully from a small set of axioms.

The concepts of congruence, similarity, and symmetry can be understood from the perspective of geometric transformation. Fundamental are the rigid motions: translations, rotations, reflections, and combinations of these, all of which are here assumed to preserve distance and angles (and therefore shapes generally). Reflections and rotations each explain a particular type of symmetry, and the symmetries of an object offer insight into its attributes—as when the reflective symmetry of an isosceles triangle assures that its base angles are congruent.

In the approach taken here, two geometric figures are defined to be congruent if there is a sequence of rigid motions that carries one onto the other. This is the principle of superposition. For triangles, congruence means the equality of all corresponding pairs of sides and all corresponding pairs of angles. During the middle grades, through experiences drawing triangles from given conditions, students notice ways to specify enough measures in a triangle to ensure that all triangles drawn with those measures are congruent. Once these triangle congruence criteria (ASA, SAS, and SSS) are established using rigid motions, they can be used to prove theorems about triangles, quadrilaterals, and other geometric figures.

Similarity transformations (rigid motions followed by dilations) define similarity in the same way that rigid motions define congruence, thereby formalizing the similarity ideas of “same shape” and “scale factor” developed in the middle grades. These transformations lead to the criterion for triangle similarity that two pairs of corresponding angles are congruent.

The definitions of sine, cosine, and tangent for acute angles are founded on right triangles and similarity, and, with the Pythagorean Theorem, are fundamental in many real-world and theoretical situations. The Pythagorean Theorem is generalized to non-right triangles by the Law of Cosines. Together, the Laws of Sines and Cosines embody the triangle congruence criteria for the cases where three pieces of information suffice to completely solve a triangle. Furthermore, these laws yield two possible solutions in the ambiguous case, illustrating that Side-Side-Angle is not a congruence criterion.

Analytic geometry connects algebra and geometry, resulting in powerful methods of analysis and problem solving. Just as the number line associates numbers with locations in one dimension, a pair of perpendicular axes associates pairs of numbers with locations in two dimensions. This correspondence between numerical coordinates and geometric points allows methods from algebra to be applied to geometry and vice versa. The solution set of an equation becomes a geometric curve, making visualization a tool for doing and understanding algebra. Geometric shapes can be described by equations, making algebraic manipulation into a tool for geometric understanding, modeling, and proof. Geometric transformations of the graphs of equations correspond to algebraic changes in their equations.

Dynamic geometry environments provide students with experimental and modeling tools that allow them to investigate geometric phenomena in much the same way as computer algebra systems allow them to experiment with algebraic phenomena.

Connections to Equations. The correspondence between numerical coordinates and geometric points allows methods from algebra to be applied to geometry and vice versa. The solution set of an equation becomes a geometric curve, making visualization a tool for doing and understanding algebra. Geometric shapes can be described by equations, making algebraic manipulation into a tool for geometric understanding, modeling, and proof.

Geometry Overview

Congruence

- Experiment with transformations in the plane
- Understand congruence in terms of rigid motions
- Prove geometric theorems
- Make geometric constructions

Similarity, Right Triangles, and Trigonometry

- Understand similarity in terms of similarity transformations
- Prove theorems involving similarity
- Define trigonometric ratios and solve problems involving right triangles
- Apply trigonometry to general triangles

Circles

- Understand and apply theorems about circles
- Find arc lengths and areas of sectors of circles

Expressing Geometric Properties with Equations

- Translate between the geometric description and the equation for a conic section
- Use coordinates to prove simple geometric theorems algebraically

Geometric Measurement and Dimension

- Explain volume formulas and use them to solve problems
- Visualize relationships between two-dimensional and three-dimensional objects

Modeling with Geometry

- Apply geometric concepts in modeling situations

Mathematical Practices

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

Congruence**G-CO****Experiment with transformations in the plane**

1. Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.
2. Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).
3. Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.
4. Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.
5. Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.

Understand congruence in terms of rigid motions

6. Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.
7. Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.
8. Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.

Prove geometric theorems

9. Prove theorems about lines and angles. *Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.*
10. Prove theorems about triangles. *Theorems include: measures of interior angles of a triangle sum to 180° ; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.*
11. Prove theorems about parallelograms. *Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.*

Make geometric constructions

12. Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). *Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.*
13. Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.

Similarity, Right Triangles, and Trigonometry**G-SRT****Understand similarity in terms of similarity transformations**

1. Verify experimentally the properties of dilations given by a center and a scale factor:
 - a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged.
 - b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor.
2. Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.
3. Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.

Prove theorems involving similarity

4. Prove theorems about triangles. *Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity.*
5. Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.

Define trigonometric ratios and solve problems involving right triangles

6. Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.
7. Explain and use the relationship between the sine and cosine of complementary angles.
8. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.*

Apply trigonometry to general triangles

9. (+) Derive the formula $A = \frac{1}{2} ab \sin(C)$ for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side.
10. (+) Prove the Laws of Sines and Cosines and use them to solve problems.
11. (+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces).

Circles**G-C****Understand and apply theorems about circles**

1. Prove that all circles are similar.
2. Identify and describe relationships among inscribed angles, radii, and chords. *Include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle.*
3. Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral inscribed in a circle.
4. (+) Construct a tangent line from a point outside a given circle to the circle.

Find arc lengths and areas of sectors of circles

- Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.

Expressing Geometric Properties with Equations**G-GPE****Translate between the geometric description and the equation for a conic section**

- Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.
- Derive the equation of a parabola given a focus and directrix.
- (+) Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant.

Use coordinates to prove simple geometric theorems algebraically

- Use coordinates to prove simple geometric theorems algebraically. *For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point $(1, \sqrt{3})$ lies on the circle centered at the origin and containing the point $(0, 2)$.*
- Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).
- Find the point on a directed line segment between two given points that partitions the segment in a given ratio.
- Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.*

Geometric Measurement and Dimension**G-GMD****Explain volume formulas and use them to solve problems**

- Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. *Use dissection arguments, Cavalieri's principle, and informal limit arguments.*
- (+) Give an informal argument using Cavalieri's principle for the formulas for the volume of a sphere and other solid figures.
- Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.*

Visualize relationships between two-dimensional and three-dimensional objects

- Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.

Modeling with Geometry**G-MG****Apply geometric concepts in modeling situations**

- Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).*
- Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot).*
- Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).*

Mathematics | High School—Statistics and Probability*

Decisions or predictions are often based on data—numbers in context. These decisions or predictions would be easy if the data always sent a clear message, but the message is often obscured by variability. Statistics provides tools for describing variability in data and for making informed decisions that take it into account.

Data are gathered, displayed, summarized, examined, and interpreted to discover patterns and deviations from patterns. Quantitative data can be described in terms of key characteristics: measures of shape, center, and spread. The shape of a data distribution might be described as symmetric, skewed, flat, or bell shaped, and it might be summarized by a statistic measuring center (such as mean or median) and a statistic measuring spread (such as standard deviation or interquartile range). Different distributions can be compared numerically using these statistics or compared visually using plots. Knowledge of center and spread are not enough to describe a distribution. Which statistics to compare, which plots to use, and what the results of a comparison might mean, depend on the question to be investigated and the real-life actions to be taken.

Randomization has two important uses in drawing statistical conclusions. First, collecting data from a random sample of a population makes it possible to draw valid conclusions about the whole population, taking variability into account. Second, randomly assigning individuals to different treatments allows a fair comparison of the effectiveness of those treatments. A statistically significant outcome is one that is unlikely to be due to chance alone, and this can be evaluated only under the condition of randomness. The conditions under which data are collected are important in drawing conclusions from the data; in critically reviewing uses of statistics in public media and other reports, it is important to consider the study design, how the data were gathered, and the analyses employed as well as the data summaries and the conclusions drawn.

Random processes can be described mathematically by using a probability model: a list or description of the possible outcomes (the sample space), each of which is assigned a probability. In situations such as flipping a coin, rolling a number cube, or drawing a card, it might be reasonable to assume various outcomes are equally likely. In a probability model, sample points represent outcomes and combine to make up events; probabilities of events can be computed by applying the Addition and Multiplication Rules. Interpreting these probabilities relies on an understanding of independence and conditional probability, which can be approached through the analysis of two-way tables.

Technology plays an important role in statistics and probability by making it possible to generate plots, regression functions, and correlation coefficients, and to simulate many possible outcomes in a short amount of time.

Connections to Functions and Modeling. Functions may be used to describe data; if the data suggest a linear relationship, the relationship can be modeled with a regression line, and its strength and direction can be expressed through a correlation coefficient.

Statistics and Probability Overview

Interpreting Categorical and Quantitative Data

- Summarize, represent, and interpret data on a single count or measurement variable
- Summarize, represent, and interpret data on two categorical and quantitative variables
- Interpret linear models

Making Inferences and Justifying Conclusions

- Understand and evaluate random processes underlying statistical experiments
- Make inferences and justify conclusions from sample surveys, experiments and observational studies

Conditional Probability and the Rules of Probability

- Understand independence and conditional probability and use them to interpret data
- Use the rules of probability to compute probabilities of compound events in a uniform probability model

Using Probability to Make Decisions

- Calculate expected values and use them to solve problems
- Use probability to evaluate outcomes of decisions

Mathematical Practices

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

Interpreting Categorical and Quantitative Data**S-ID****Summarize, represent, and interpret data on a single count or measurement variable**

1. Represent data with plots on the real number line (dot plots, histograms, and box plots).
2. Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.
3. Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).
4. Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve.

Summarize, represent, and interpret data on two categorical and quantitative variables

5. Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.
6. Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.
 - a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. *Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.*
 - b. Informally assess the fit of a function by plotting and analyzing residuals.
 - c. Fit a linear function for a scatter plot that suggests a linear association.

Interpret linear models

7. Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.
8. Compute (using technology) and interpret the correlation coefficient of a linear fit.
9. Distinguish between correlation and causation.

Making Inferences and Justifying Conclusions**S-IC****Understand and evaluate random processes underlying statistical experiments**

1. Understand statistics as a process for making inferences about population parameters based on a random sample from that population.
2. Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. *For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?*

Make inferences and justify conclusions from sample surveys, experiments, and observational studies

3. Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each.

- Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.
- Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant.
- Evaluate reports based on data.

Conditional Probability and the Rules of Probability

S-CP

Understand independence and conditional probability and use them to interpret data

- Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events (“or,” “and,” “not”).
- Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.
- Understand the conditional probability of A given B as $P(A \text{ and } B)/P(B)$, and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A , and the conditional probability of B given A is the same as the probability of B .
- Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. *For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.*
- Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. *For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.*

Use the rules of probability to compute probabilities of compound events in a uniform probability model

- Find the conditional probability of A given B as the fraction of B 's outcomes that also belong to A , and interpret the answer in terms of the model.
- Apply the Addition Rule, $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$, and interpret the answer in terms of the model.
- (+) Apply the general Multiplication Rule in a uniform probability model, $P(A \text{ and } B) = P(A)P(B|A) = P(B)P(A|B)$, and interpret the answer in terms of the model.
- (+) Use permutations and combinations to compute probabilities of compound events and solve problems.

Using Probability to Make Decisions

S-MD

Calculate expected values and use them to solve problems

- (+) Define a random variable for a quantity of interest by assigning a numerical value to each event in a sample space; graph the corresponding probability distribution using the same graphical displays as for data distributions.
- (+) Calculate the expected value of a random variable; interpret it as the mean of the probability distribution.

3. (+) Develop a probability distribution for a random variable defined for a sample space in which theoretical probabilities can be calculated; find the expected value. *For example, find the theoretical probability distribution for the number of correct answers obtained by guessing on all five questions of a multiple-choice test where each question has four choices, and find the expected grade under various grading schemes.*
4. (+) Develop a probability distribution for a random variable defined for a sample space in which probabilities are assigned empirically; find the expected value. *For example, find a current data distribution on the number of TV sets per household in the United States, and calculate the expected number of sets per household. How many TV sets would you expect to find in 100 randomly selected households?*

Use probability to evaluate outcomes of decisions

5. (+) Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values.
 - a. Find the expected payoff for a game of chance. *For example, find the expected winnings from a state lottery ticket or a game at a fast-food restaurant.*
 - b. Evaluate and compare strategies on the basis of expected values. *For example, compare a high-deductible versus a low-deductible automobile insurance policy using various, but reasonable, chances of having a minor or a major accident.*
6. (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator).
7. (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).